

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	205784	"455"/("69", "63.1", "67.11", "101", 131-132, 134-135, "272", "277.1-277.2", "422.1", 450-451, "452.1-452.2", 500-507, "513", "515", 59-62, "550.1", "553.1", "562.1", "225", "226.1-226.4", "227", "137.1").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:17
L2	255782	"342"/("361", "368", "373", "422", 433-434, "436").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:22
L3	215177	"375"/(131-138, 219-221).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:25
L4	265917	"370"/("278", "280", "282", 328-329, "437").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:33
L5	745006	I1 or I2 or I3 or I4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:34
L8	1435	(transmitter near9 receiver) with (antenna near5 (multiple or plural\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:48
L9	3283	transmitter with (antenna near5 (multiple or plural\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:36
L10	5623	receiver with (antenna near5 (multiple or plural\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:37

L11	1158	transceiver with (antenna near5 (multiple or plural\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:37
L12	7634	l8 or l9 or l10 or l11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:38
L13	17386	diversity near7 (space or spatial or antenna or polarization or time or frequency or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:39
L14	2256	l12 and l13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:39
L15	53212	(dynamic\$4 or adaptive\$3) with (modulat\$3 or demodulat\$3 or encod\$3 or cod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:41
L16	383	l14 and l15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:42
L17	183	l5 and l16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:42
L18	2254	feedback with ((signal or channel) near7 (quality or strength))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:43

L19	70	I18 and ((adaptive\$3 or dynamic\$4) near9 (power near3 control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:43
L20	1	I17 and I19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:45
L21	27	I5 and I19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 18:48